Series : GE1FH

SET~3

रोल नं.
Roll No.

प्रश्न-पत्र कोड
Q.P. Code **430/1/3**

परीक्षार्थी प्रश्न-पत्र कोड को उत्तर-पुस्तिका के मुख-पृष्ठ पर अवश्य लिखें।
Candidates must write the Q.P. Code on the title page of the answer-book.

• • •

नोट

(I) कृपया जाँच कर लें कि इस प्रश्न-पत्र में मुद्रित पृष्ठ **27** हैं।

(II) प्रश्न-पत्र में दाहिने हाथ की ओर दिए गए प्रश्न-पत्र कोड को परीक्षार्थी उत्तर-पुस्तिका के मुख-पृष्ठ पर लिखें।

(III) कृपया जाँच कर लें कि इस प्रश्न-पत्र में **38** प्रश्न हैं।

(IV) **कृपया प्रश्न का उत्तर लिखना शुरू करने से पहले, उत्तर-पुस्तिका में यथा स्थान पर प्रश्न का क्रमांक अवश्य लिखें।**

(V) इस प्रश्न-पत्र को पढ़ने के लिए 15 मिनट का समय दिया गया है। प्रश्न-पत्र का वितरण पूर्वाह्न में 10.15 बजे किया जाएगा। 10.15 बजे से 10.30 बजे तक परीक्षार्थी केवल प्रश्न-पत्र को पढ़ेंगे और इस अवधि के दौरान वे उत्तर-पुस्तिका पर कोई उत्तर नहीं लिखेंगे।

NOTE

(I) Please check that this question paper contains **27** printed pages.

(II) Q.P. Code given on the right hand side of the question paper should be written on the title page of the answer-book by the candidate.

(III) Please check that this question paper contains **38** questions.

(IV) **Please write down the Serial Number of the question in the answer-book at the given place before attempting it.**

(V) 15 minute time has been allotted to read this question paper. The question paper will be distributed at 10.15 a.m. From 10.15 a.m. to 10.30 a.m., the candidates will read the question paper only and will not write any answer on the answer-book during this period.

#

• • •

गणित (बुनियादी)

MATHEMATICS (BASIC)

*निर्धारित समय : **3** घण्टे* | *अधिकतम अंक : **80***

*Time allowed : **3** hours* | *Maximum Marks : **80***

• • •

सामान्य निर्देश :

निम्नलिखित निर्देशों को बहुत सावधानी से पढ़िए और उनका सख़्ती से पालन कीजिए :

(i) *इस प्रश्न-पत्र में **38** प्रश्न हैं। **सभी** प्रश्न **अनिवार्य** हैं।*

(ii) *यह प्रश्न-पत्र **पाँच** खण्डों में विभाजित है – **क**, **ख**, **ग**, **घ** एवं **ङ**।*

(iii) ***खण्ड क** में प्रश्न संख्या **1** से **18** तक बहुविकल्पीय (MCQ) तथा प्रश्न संख्या **19** एवं **20** अभिकथन एवं तर्क आधारित **1** अंक के प्रश्न हैं।*

(iv) ***खण्ड ख** में प्रश्न संख्या **21** से **25** तक अति लघु-उत्तरीय (VSA) प्रकार के **2** अंकों के प्रश्न हैं।*

(v) ***खण्ड ग** में प्रश्न संख्या **26** से **31** तक लघु-उत्तरीय (SA) प्रकार के **3** अंकों के प्रश्न हैं।*

(vi) ***खण्ड घ** में प्रश्न संख्या **32** से **35** तक दीर्घ-उत्तरीय (LA) प्रकार के **5** अंकों के प्रश्न हैं।*

(vii) ***खण्ड ङ** में प्रश्न संख्या **36** से **38** तक प्रकरण अध्ययन आधारित **4** अंकों के प्रश्न हैं। प्रत्येक प्रकरण अध्ययन में आंतरिक विकल्प **2** अंकों के प्रश्न में दिया गया है।*

(viii) *प्रश्न-पत्र में समग्र विकल्प नहीं दिया गया है। यद्यपि, खण्ड ख के 2 प्रश्नों में, खण्ड ग के 2 प्रश्नों में, खण्ड घ के 2 प्रश्नों में तथा खण्ड ङ के 3 प्रश्नों में आंतरिक विकल्प का प्रावधान दिया गया है।*

(ix) *जहाँ आवश्यक हो स्वच्छ आकृतियाँ बनाइए। जहाँ आवश्यक हो $\pi = \frac{22}{7}$ लीजिए, यदि अन्यथा न दिया गया हो।*

(x) *कैल्कुलेटर का उपयोग **वर्जित** है।*

खण्ड क

*इस खण्ड में **20** बहुविकल्पीय प्रश्न (MCQ) हैं, जिनमें प्रत्येक प्रश्न **1** अंक का है।* $20 \times 1 = 20$

1. एक वृत्त के चतुर्थांश (quadrant) के क्षेत्रफल का अनुपात, उसी वृत्त के क्षेत्रफल से होता है :

(A) 1 : 2

(B) 2 : 1

(C) 1 : 4

(D) 4 : 1

2. निम्नलिखित में से किस ठोस का पार्श्वीय/वक्र पृष्ठीय क्षेत्रफल और संपूर्ण पृष्ठीय क्षेत्रफल एक समान है ?

(A) घन

(B) घनाभ

(C) अर्धगोला

(D) गोला

• • •

General Instructions :

Read the following instructions very carefully and strictly follow them :

(i) *This question paper contains **38** questions. **All** questions are **compulsory**.*

(ii) *This question paper is divided into **five** Sections – **A**, **B, C, D** and **E**.*

(iii) *In **Section A,** Questions no. **1** to **18** are Multiple Choice Questions (MCQs) and questions number **19** and **20** are Assertion-Reason based questions of **1** mark each.*

(iv) *In **Section B,** Questions no. **21** to **25** are Very Short Answer (VSA) type questions, carrying **2** marks each.*

(v) *In **Section C,** Questions no. **26** to **31** are Short Answer (SA) type questions, carrying **3** marks each.*

(vi) *In **Section D,** Questions no. **32** to **35** are Long Answer (LA) type questions carrying **5** marks each.*

(vii) *In **Section E,** Questions no. **36** to **38** are case study based questions carrying **4** marks each. Internal choice is provided in **2** marks questions in each case study.*

(viii) *There is no overall choice. However, an internal choice has been provided in 2 questions in Section B, 2 questions in Section C, 2 questions in Section D and 3 questions in Section E.*

(ix) *Draw neat diagrams wherever required. Take $\pi = \frac{22}{7}$ wherever required, if not stated.*

(x) *Use of calculator is **not** allowed.*

SECTION A

*This section has **20** Multiple Choice Questions (MCQs) carrying **1** mark each. 20×1=20*

1. The ratio of the area of a quadrant of a circle to the area of the same circle is :

(A) 1 : 2

(B) 2 : 1

(C) 1 : 4

(D) 4 : 1

2. For which of the following solids is the lateral/curved surface area and total surface area the same ?

(A) Cube

(B) Cuboid

(C) Hemisphere

(D) Sphere

• • •

3. निम्नलिखित आँकड़ों के माध्यक वर्ग का वर्ग-चिह्न है :

वर्ग-अन्तराल	10 – 25	25 – 40	40 – 55	55 – 70	70 – 85	85 – 100
बारंबारता	2	3	7	6	6	6

(A) 40

(B) 55

(C) 47·5

(D) 62·5

4. टेस्ट मैचों में कुछ बल्लेबाजों द्वारा बनाए गए रनों की संख्या निम्नलिखित बंटन में दर्शाई गई है :

बनाए गए रनों की संख्या	3000 – 4000	4000 – 5000	5000 – 6000	6000 – 7000
बल्लेबाजों की संख्या	5	10	9	8

बहुलक वर्ग की निचली वर्ग सीमा है :

(A) 3000

(B) 4000

(C) 5000

(D) 6000

5. एक प्रयोग के अंतर्गत पासों का युग्म फेंका जाता है। एक द्विक न प्राप्त करने की प्रायिकता है :

(A) $\frac{1}{6}$ (B) $\frac{5}{6}$

(C) $\frac{1}{5}$ (D) $\frac{1}{30}$

6. यदि दो धनात्मक पूर्णांकों a और b का महत्तम समापवर्तक (HCF) 1 है, तो उनका लघुतम समापवर्त्य (LCM) होगा :

(A) a + b (B) a

(C) b (D) ab

7. $\left(2+\sqrt{2}\right)^2$ एक :

(A) परिमेय संख्या है (B) अपरिमेय संख्या है

(C) पूर्णांक है (D) प्राकृत संख्या है

• • •

3. The class mark of the median class of the following data is :

Class Interval	10 – 25	25 – 40	40 – 55	55 – 70	70 – 85	85 – 100
Frequency	2	3	7	6	6	6

(A) 40

(B) 55

(C) 47·5

(D) 62·5

4. The following distribution shows the number of runs scored by some batsmen in test matches :

Runs Scored	3000 – 4000	4000 – 5000	5000 – 6000	6000 – 7000
Number of Batsmen	5	10	9	8

The lower limit of the modal class is :

(A) 3000

(B) 4000

(C) 5000

(D) 6000

5. In an experiment of throwing a pair of dice, the probability of not getting a doublet is :

(A) $\frac{1}{6}$ (B) $\frac{5}{6}$

(C) $\frac{1}{5}$ (D) $\frac{1}{30}$

6. If the HCF of two positive integers a and b is 1, then their LCM is :

(A) a + b (B) a

(C) b (D) ab

7. $\left(2+\sqrt{2}\right)^2$ is :

(A) a rational number (B) an irrational number

(C) an integer (D) a natural number

• • •

8. द्विघात समीकरण $2x^2 - 3x - 5 = 0$ का विविक्तकर है :

(A) -31 (B) 49

(C) 7 (D) $\sqrt{-31}$

9. समीकरण $x + \frac{1}{x} = 3$ $(x \neq 0)$ को एक द्विघात समीकरण $ax^2 + bx + c = 0$ के रूप में व्यक्त किया जाता है। $a - b + c$ का मान है :

(A) 5 (B) 2

(C) 1 (D) -1

10. बिंदु X(a, b), जहाँ $(b > a > 0)$ से [x-अक्ष से दूरी – y-अक्ष से दूरी] का मान है :

(A) $a - b$ (B) $b - a$

(C) $a^2 - b^2$ (D) $b^2 - a^2$

11. किसी रेखाखंड का मध्य-बिंदु उस रेखाखंड को जिस अनुपात में विभाजित करता है, वह है :

(A) 1 : 2 (B) 2 : 1


(C) 1 : 1 (D) $\frac{1}{2} : 2$


12. निम्नलिखित में से कौन-सी त्रिभुजों की समरूपता की कसौटी ***नहीं*** है ?

(A) AAA (B) SSS

(C) SAS (D) RHS

13. नीचे दी गई आकृतियों से, $\angle P$ के माप के लिए निम्नलिखित में से कौन-सा सही है ?





(A) $\angle P = 60°$

(B) $\angle P = 80°$

(C) $\angle P = 40°$

(D) $\angle P$ की माप ज्ञात नहीं की जा सकती

• • •

8. The discriminant of the quadratic equation $2x^2 - 3x - 5 = 0$ is :

(A) -31 (B) 49

(C) 7 (D) $\sqrt{-31}$

9. The equation $x + \frac{1}{x} = 3$ $(x \neq 0)$ is expressed as a quadratic equation in the form of $ax^2 + bx + c = 0$. The value of $a - b + c$ is :

(A) 5 (B) 2

(C) 1 (D) -1

10. For a point X(a, b) where $(b > a > 0)$, the value of its [distance from x-axis – distance from y-axis] is :

(A) $a - b$ (B) $b - a$

(C) $a^2 - b^2$ (D) $b^2 - a^2$

11. The mid-point of a line segment divides the line segment in the ratio :

(A) 1 : 2 (B) 2 : 1


(C) 1 : 1 (D) $\frac{1}{2} : 2$


12. Which of the following is ***not*** the criterion for similarity of triangles ?

(A) AAA (B) SSS

(C) SAS (D) RHS

13. From the figures given below, which of the following is true about the measure of $\angle P$?





(A) $\angle P = 60°$


(B) $\angle P = 80°$

(C) $\angle P = 40°$

(D) The measure of $\angle P$ cannot be determined

• • •

14. दी गई आकृति में, यदि AB एक स्पर्श-रेखा O केन्द्र वाले वृत्त पर इस प्रकार बनी है कि OB = 6 cm तथा $\angle$ AOB = 60° है, तो OA की लंबाई है :



(A) 3 cm (B) $3\sqrt{3}$ cm

(C) $4\sqrt{3}$ cm (D) 12 cm

15. निम्नलिखित में से कौन-सा कथन ***असत्य*** है ?

(A) $\tan 45° = \cot 45°$

(B) $\sin 90° = \tan 45°$

(C) $\sin 30° = \cos 30°$


(D) $\sin 45° = \cos 45°$

16. $\left(\frac{1}{\sec^2 A} + \frac{1}{\text{cosec}^2 A}\right)$ का मान है :

(A) 1 से अधिक (B) 1

(C) 0 (D) – 1

17. दी गई आकृति में, निम्नलिखित में से कौन-सा कोण अवनमन कोण है ?



(A) x


(B) y

(C) z

(D) a

• • •

14. In the given figure, if AB is a tangent to the circle with centre O such that OB = 6 cm and $\angle$ AOB = 60°, then the length of OA is :



(A) 3 cm (B) $3\sqrt{3}$ cm

(C) $4\sqrt{3}$ cm (D) 12 cm

15. Which of the following statements is ***false*** ?

(A) tan 45° = cot 45°

(B) sin 90° = tan 45°

(C) sin 30° = cos 30°


(D) sin 45° = cos 45°

16. The value of $\left(\frac{1}{\sec^2 A} + \frac{1}{\text{cosec}^2 A}\right)$ is :

(A) more than 1 (B) 1

(C) 0 (D) – 1

17. In the given figure, which of the following angles represents the angle of depression ?



(A) x


(B) y

(C) z

(D) a

• • •

18. दी गई आकृति में छायांकित क्षेत्र का परिमाप है :



(A) l

(B) $l + a$

(C) $l + 2r$

(D) $l + 2r + a$

*प्रश्न संख्या **19** और **20** अभिकथन एवं तर्क आधारित प्रश्न हैं । दो कथन दिए गए हैं जिनमें एक को अभिकथन (A) तथा दूसरे को तर्क (R) द्वारा अंकित किया गया है। इन प्रश्नों के सही उत्तर नीचे दिए गए कोडों (A), (B), (C) और (D) में से चुनकर दीजिए।*

(A) अभिकथन (A) और तर्क (R) दोनों सही हैं और तर्क (R), अभिकथन (A) की सही व्याख्या करता है।

(B) अभिकथन (A) और तर्क (R) दोनों सही हैं, परन्तु तर्क (R), अभिकथन (A) की सही व्याख्या ***नहीं*** करता है।

(C) अभिकथन (A) सही है, परन्तु तर्क (R) ग़लत है।

(D) अभिकथन (A) ग़लत है, परन्तु तर्क (R) सही है।

19. *अभिकथन (A) :* किन्हीं दो प्राकृत संख्याओं a और b के लिए, a और b का HCF, a और b के LCM का एक गुणनखंड होता है।


तर्क (R) : किन्हीं दो प्राकृत संख्याओं का HCF, दोनों संख्याओं को विभाजित करता है।

20. *अभिकथन (A) :* p का मान, जिसके लिए समीकरण निकाय $4x + py + 8 = 0$ और $2x + 2y + 2 = 0$ संगत है, 4 है।

तर्क (R) : समीकरण निकाय $a_1x + b_1y = c_1$ तथा $a_2x + b_2y = c_2$ संगत है जिसमें अपरिमित रूप से अनेक हल हैं, यदि $\frac{a_1}{a_2} = \frac{b_1}{b_2} = \frac{c_1}{c_2}$.

• • •

18. The perimeter of the shaded region in the given figure is :



(A) l

(B) $l + a$

(C) $l + 2r$

(D) $l + 2r + a$

*Questions number **19** and **20** are Assertion and Reason based questions. Two statements are given, one labelled as Assertion (A) and the other is labelled as Reason (R). Select the correct answer to these questions from the codes (A), (B), (C) and (D) as given below.*

(A) Both Assertion (A) and Reason (R) are true and Reason (R) is the correct explanation of Assertion (A).

(B) Both Assertion (A) and Reason (R) are true, but Reason (R) is ***not*** the correct explanation of Assertion (A).

(C) Assertion (A) is true, but Reason (R) is false.

(D) Assertion (A) is false, but Reason (R) is true.

19. *Assertion (A) :* For any two natural numbers a and b, the HCF of a and b is a factor of the LCM of a and b.

Reason (R) : HCF of any two natural numbers divides both the numbers.

20. *Assertion (A) :* The value of p for which the system of equations $4x + py + 8 = 0$ and $2x + 2y + 2 = 0$ is consistent is 4.

Reason (R) : The system of equations $a_1x + b_1y = c_1$ and $a_2x + b_2y = c_2$ is consistent with infinitely many solutions, if $\frac{a_1}{a_2} = \frac{b_1}{b_2} = \frac{c_1}{c_2}$.

• • •

खण्ड ख

*इस खण्ड में **5** अति लघु-उत्तरीय (VSA) प्रकार के प्रश्न हैं, जिनमें प्रत्येक के **2** अंक हैं।* *5×2 =10*


21. 70 cm त्रिज्या की एक वृत्ताकार चादर से एक चतुर्थांश काटा जाता है। बची हुई चादर का क्षेत्रफल ज्ञात कीजिए।

22. x और y के लिए हल कीजिए :

$3x + 5y = 8$


$5x - 3y = 2$

23. (क) दी गई आकृति में, यदि PQ ∥ RS है, तो सिद्ध कीजिए कि Δ POQ ~ Δ SOR.



अथवा

(ख) दी गई आकृति में, Δ OSR ~ Δ OQP, $\angle$ ROQ = 125° तथा $\angle$ ORS = 70°. $\angle$ OSR और $\angle$ OQP के माप ज्ञात कीजिए।



• • •

SECTION B

*This section has **5** Very Short Answer (VSA) type questions carrying **2** marks each.* *5×2=10*


21. From a circular sheet of radius 70 cm, a quadrant is cut. Find the area of the remaining sheet.

22. Solve for x and y :

$3x + 5y = 8$


$5x - 3y = 2$

23. (a) In the given figure, if PQ ∥ RS, then prove that Δ POQ ~ Δ SOR.



OR

(b) In the given figure, Δ OSR ~ Δ OQP, ∠ ROQ = 125° and ∠ ORS = 70°. Find the measures of ∠ OSR and ∠ OQP.



• • •

24. दो संकेंद्रीय वृत्तों की त्रिज्याएँ 6 cm और 10 cm हैं। बड़े वृत्त की जीवा, जो छोटे वृत्त को स्पर्श करती है, की लंबाई ज्ञात कीजिए।

25. (क) A और B $(0 \leq A < 90°, \quad 0 \leq B < 90°)$ के मान ज्ञात कीजिए, यदि $\tan (A + B) = 1$ और $\tan (A - B) = \frac{1}{\sqrt{3}}$ हैं।

अथवा

(ख) ज्यामितीय विधि से सिद्ध कीजिए कि $\tan 45° = 1$.

खण्ड ग

*इस खण्ड में **6** लघु-उत्तरीय (SA) प्रकार के प्रश्न हैं, जिनमें प्रत्येक के **3** अंक हैं।* $6 \times 3 = 18$

26. निम्नलिखित त्रिकोणमितीय सर्वसमिका सिद्ध कीजिए :

$$(\sin A - \operatorname{cosec} A)(\cos A - \sec A) = \frac{1}{\tan A + \cot A}$$

27. 200 पेनों के एक समूह में 180 पेन अच्छे हैं और बाकी के पेन खराब हैं। एक ग्राहक पेन जब ही खरीदता है जब वह खराब न हो। दुकानदार एक पेन इस समूह से यादृच्छया निकालता है और ग्राहक को देता है। ग्राहक इस पेन को नहीं खरीदता है, इसकी प्रायिकता क्या है ? 100 पेनों का एक और समूह है जिसमें 80 पेन अच्छे हैं, उसको 200 पेनों के पहले वाले समूह में मिला दिया जाता है। तत्पश्चात् दुकानदार अब पूरे समूह से एक पेन यादृच्छया निकालता है और इस पेन को ग्राहक को देता है। ग्राहक इस पेन को खरीदेगा, इसकी प्रायिकता क्या है ?

28. (क) सिद्ध कीजिए कि $\sqrt{3}$ एक अपरिमेय संख्या है।

अथवा

• • •

24. Two concentric circles are of radii 6 cm and 10 cm. Find the length of the chord of the larger circle which touches the smaller circle.

25. (a) Find the values of A and B ($0 \leq A < 90°$, $0 \leq B < 90°$), if $\tan (A + B) = 1$ and $\tan (A - B) = \frac{1}{\sqrt{3}}$.

OR

(b) Prove that $\tan 45° = 1$ geometrically.

SECTION C

*This section has **6** Short Answer (SA) type questions carrying **3** marks each.* $6 \times 3 = 18$

26. Prove the following trigonometric identity :

$$(\sin A - \text{cosec } A)(\cos A - \sec A) = \frac{1}{\tan A + \cot A}$$


27. A lot consists of 200 pens of which 180 are good and the rest are defective. A customer will buy a pen if it is not defective. The shopkeeper draws a pen at random and gives it to the customer. What is the probability that the customer will not buy it ? Another lot of 100 pens containing 80 good pens is mixed with the previous lot of 200 pens. The shopkeeper now draws one pen at random from the entire lot and gives it to the customer. What is the probability that the customer will buy the pen ?

28. (a) Prove that $\sqrt{3}$ is an irrational number.

OR

• • •

(ख) संख्या x का गुणनखंड वृक्ष नीचे दिखाया गया है :



x, y, a और b के मान ज्ञात कीजिए। अत: संख्या x को अभाज्य गुणनखंडों के गुणनफल के रूप में व्यक्त कीजिए।

29. द्विघात बहुपद ज्ञात कीजिए, जिसके शून्यकों के योगफल और गुणनफल क्रमश: – 10 और 24 हैं। प्राप्त हुए बहुपद के शून्यक भी ज्ञात कीजिए।

30. (क) निम्नलिखित समीकरण निकाय को आलेख विधि से हल कीजिए :

$$x + 3y = 6; \quad 2x - 3y = 12$$


अथवा

(ख) x और y दो इस प्रकार के पूरक कोण हैं कि x : y = 1 : 2. दी गई सूचना को दो चरों वाले एक रैखिक समीकरण निकाय के रूप में व्यक्त कीजिए और तत्पश्चात् इसे हल कीजिए।

31. सिद्ध कीजिए कि वृत्त के परिगत बना आयत एक वर्ग होता है।

• • •

(b) The factor tree of a number x is shown below :



Find the values of x, y, a and b. Hence, write the product of the prime factors of the number x so obtained.

29. Determine a quadratic polynomial, sum and product of whose zeroes are – 10 and 24, respectively. Also, determine the zeroes of the polynomial so obtained.

30. (a) Solve the following system of equations graphically :

$x + 3y = 6;\ 2x - 3y = 12$

OR

(b) x and y are complementary angles such that x : y = 1 : 2. Express the given information as a system of linear equations in two variables and hence solve it.

31. Prove that a rectangle circumscribing a circle is a square.

• • •

खण्ड घ

*इस खण्ड में **4** दीर्घ-उत्तरीय (LA) प्रकार के प्रश्न हैं, जिनमें प्रत्येक के **5** अंक हैं।* *4×5 =20*

32. एक जीवन बीमा एजेंट, आयु अनुसार 100 पॉलिसी धारकों के बंटन के निम्नलिखित आँकड़े प्रस्तुत करता है :

आयु (वर्षों में)	*पॉलिसी धारकों की संख्या*
15 – 20	2
20 – 25	4
25 – 30	18
30 – 35	21
35 – 40	33
40 – 45	11
45 – 50	3
50 – 55	6
55 – 60	2

पॉलिसी धारकों की माध्यक आयु ज्ञात कीजिए।

33. (क) दो धनात्मक संख्याओं के वर्गों का अन्तर 180 है। छोटी संख्या का वर्ग, बड़ी संख्या का 8 गुना है। दोनों संख्याएँ ज्ञात कीजिए।

अथवा

(ख) k का/के मान ज्ञात कीजिए जिसके/जिनके लिए समीकरण $2x^2 + kx + 3 = 0$ के वास्तविक और बराबर मूल हों। इस प्रकार प्राप्त हुए समीकरण के मूल भी ज्ञात कीजिए।

34. "आधारभूत समानुपातिकता प्रमेय" का विलोम लिखिए और इसका प्रयोग करके निम्नलिखित को सिद्ध कीजिए :

एक त्रिभुज की किन्हीं दो भुजाओं के मध्य-बिंदुओं को मिलाने वाला रेखाखंड, तीसरी भुजा के समांतर होता है।

• • •

SECTION D

*This section has **4** Long Answer (LA) type questions carrying **5** marks each.* $4 \times 5 = 20$

32. A life insurance agent found the following data for the distribution of 100 policy holders on the basis of their ages.

Age (in years)	*Number of policy holders*
15 – 20	2
20 – 25	4
25 – 30	18
30 – 35	21
35 – 40	33
40 – 45	11
45 – 50	3
50 – 55	6
55 – 60	2

Find the median age of the policy holders.

33. (a) The difference of the squares of two positive numbers is 180. The square of the smaller number is 8 times the greater number. Find the two numbers.

OR

(b) Find the value(s) of k for which the equation $2x^2 + kx + 3 = 0$ has real and equal roots. Hence, find the roots of the equations so obtained.

34. State the converse of "Basic Proportionality Theorem" and use it to prove the following :

Line segment joining mid-points of any two sides of a triangle is parallel to the third side.

• • •

35. (क) एक खिलौना एक अर्धगोले पर खड़े एक शंकु के आकार का है। शंकु और अर्धगोले की त्रिज्याएँ बराबर हैं। खिलौने के शंक्वाकार भाग की ऊँचाई उसके आधार के व्यास के बराबर है। यदि शंक्वाकार भाग की त्रिज्या 5 cm है, तो खिलौने का आयतन ज्ञात कीजिए।

अथवा


(ख) एक घनाकार ब्लॉक के ऊपर 3·5 cm त्रिज्या का एक अर्धगोला रखा गया है। घन के किनारे की न्यूनतम संभव लम्बाई क्या है, ताकि गोलार्ध पूरी तरह से घन पर स्थित हो सके ? इस प्रकार बने ठोस का संपूर्ण पृष्ठीय क्षेत्रफल ज्ञात कीजिए।


खण्ड ङ

*इस खण्ड में **3** प्रकरण अध्ययन आधारित प्रश्न हैं, जिनमें प्रत्येक के **4** अंक हैं।* $3 \times 4 = 12$

प्रकरण अध्ययन – 1

36. एक सोसाइटी में एक वृत्ताकार पार्क है जिसके दो गेट हैं। ये दोनों गेट बिन्दु A(10, 20) और B(50, 50) पर लगे हैं, जैसा की नीचे चित्र में दिखाया गया है। दो फव्वारे बिन्दु P और Q, जो रेखाखंड AB पर स्थित हैं, इस तरह लगाए गए हैं कि AP = PQ = QB.





• • •

35. (a) A toy is in the form of a cone surmounted on a hemisphere. The cone and hemisphere have the same radii. The height of the conical part of the toy is equal to the diameter of its base. If the radius of the conical part is 5 cm, find the volume of the toy.

OR


(b) A cubical block is surmounted by a hemisphere of radius 3·5 cm. What is the smallest possible length of the edge of the cube so that the hemisphere can totally lie on the cube ? Find the total surface area of the solid so formed.


SECTION E

*This section has **3** case study based questions carrying **4** marks each.* *3×4=12*

Case Study – 1

36. In a society, there is a circular park having two gates. The gates are placed at points A(10, 20) and B(50, 50), as shown in the figure below. Two fountains are installed at points P and Q on AB such that AP = PQ = QB.





• • •

उपर्युक्त जानकारी के आधार पर, निम्नलिखित प्रश्नों के उत्तर दीजिए :

(i) केन्द्र C के निर्देशांक ज्ञात कीजिए। *1*

(ii) वृत्ताकार पार्क की त्रिज्या ज्ञात कीजिए। *1*

(iii) (क) बिन्दु P के निर्देशांक ज्ञात कीजिए। *2*

अथवा

(ख) गेट A से Q पर लगे फव्वारे की दूरी ज्ञात कीजिए। *2*

प्रकरण अध्ययन – 2

37. एक इमारत की छत पर एक घायल पक्षी दिखाई देता है। यह इमारत 15 m ऊँची है। पक्षी को बचाने के उद्देश्य से, एक फायरमैन को बुलाया जाता है। फायरमैन ने छत तक पहुँचने के लिए एक समायोज्य सीढ़ी का उपयोग किया। उसने सीढ़ी को इस प्रकार रखा कि छत तक पहुँचने के लिए सीढ़ी भूमि से $60°$ का कोण बनाए।





उपर्युक्त जानकारी के आधार पर, निम्नलिखित प्रश्नों के उत्तर दीजिए :

(i) सीढ़ी की लम्बाई ज्ञात कीजिए, जिसे फायरमैन ने छत पर पहुँचने के लिए उपयोग किया था। *1*

(ii) इमारत के पाद से भूमि पर उस बिन्दु की दूरी ज्ञात कीजिए, जहाँ सीढ़ी को रखा गया था। *1*

• • •

Based on the above information, answer the following questions :

(i) Find the coordinates of the centre C. *1*

(ii) Find the radius of the circular park. *1*

(iii) (a) Find the coordinates of the point P. *2*

OR

(b) Find the distance of the fountain at Q from gate A. *2*

Case Study – 2

37. An injured bird was found on the roof of a building. The building is 15 m high. A fireman was called to rescue the bird. The fireman used an adjustable ladder to reach the roof. He placed the ladder in such a way that the ladder makes an angle of 60° with the ground in order to reach the roof.



Based on the above information, answer the following questions :

(i) Find the length of the ladder used by the fireman to reach the roof. *1*

(ii) Find the distance of the point on the ground at which the ladder was fixed from the bottom of the building. *1*

• • •

(iii) फिसलन से बचने के लिए, फायरमैन ने सीढ़ी को इस तरह रखा कि सीढ़ी का निचला हिस्सा इमारत के विपरीत दीवार के आधार को छूए, जिससे जमीन से 30° का कोण बने।

(क) उपर्युक्त स्थिति को दर्शाने के लिए एक साफ-सुथरा चित्र बनाइए और इमारत व दीवार के बीच सड़क की चौड़ाई ज्ञात कीजिए। *2*


अथवा

(ख) इस प्रकरण में फायरमैन ने जिस सीढ़ी का उपयोग किया है, उसकी लम्बाई ज्ञात कीजिए। *2*

प्रकरण अध्ययन – 3

38. एक बगीचे में, सर्पिल पैटर्न बनाने के लिए गुलाब के फूलों के पौधे समान अंतराल पर लगाए गए थे। सर्पिल क्रमिक अर्धवृत्तों से बना है, जिसका केन्द्र वैकल्पिक रूप से A और B पर है, जो त्रिज्याओं 50 cm, 100 cm, 150 cm, ... के केन्द्र A से शुरू होता है, जैसा नीचे दिए गए चित्र में दिखाया गया है। सर्पिल 1 में 10 फूल, सर्पिल 2 में 20 फूल, सर्पिल 3 में 30 फूल और इसी तरह।





उपर्युक्त जानकारी के आधार पर, निम्नलिखित प्रश्नों के उत्तर दीजिए :

(i) 13वीं सर्पिल की त्रिज्या क्या है ? *1*

• • •

(iii) In order to avoid skidding, the fireman placed the ladder in such a way that the bottom of the ladder touches the base of the wall which is opposite to the building, making an angle of 30° with the ground.

(a) Draw a neat diagram to represent the above situation and hence find the width of the road between the building and the wall. *2*


OR

(b) Find the length of the ladder used by the fireman in this case. *2*

Case Study – 3

38. In a garden, saplings of rose flowers were planted at equal intervals to form a spiral pattern. The spiral is made up of successive semicircles, with centres alternatively at A and B, starting with centre at A, of radii 50 cm, 100 cm, 150 cm, ... as shown in the figure given below. Spiral 1 has 10 flowers, Spiral 2 has 20 flowers, Spiral 3 has 30 flowers and so on.





Based on the above information, answer the following questions :

(i) What is the radius of the 13^{th} spiral ? *1*

• • •

(ii) यदि nवीं सर्पिल की त्रिज्या 500 cm है, तो n का मान ज्ञात कीजिए। *1*

(iii) (क) 11वीं सर्पिल तक कुल कितने पौधे लगाए गए ? *2*

अथवा

(ख) कौन-सी सर्पिल तक, कुल 450 पौधे लगे होंगे ? *2*

• • •

(ii) If the radius of the n^{th} spiral is 500 cm, find the value of n. *1*

(iii) (a) Find the total number of saplings till the 11^{th} spiral. *2*

OR

(b) Till which spiral, will there be a total of 450 saplings ? *2*

Marking Scheme
Strictly Confidential
(For Internal and Restricted use only)
Secondary School Examination, 2026 (X)
SUBJECT NAME- MATHEMATICS BASIC (Q.P. CODE – 430/1/3)






General Instructions: -



1	You are aware that evaluation is the most important process in the actual and correct assessment of the candidates. A small mistake in evaluation may lead to serious problems which may affect the future of the candidates, education system and teaching profession. To avoid mistakes, it is requested that before starting evaluation, you must read and understand the spot evaluation guidelines carefully.
2	**"Evaluation policy is a confidential policy as it is related to the confidentiality of the examinations conducted, Evaluation done and several other aspects. Its leakage to the public in any manner could lead to derailment of the examination system and affect the life and future of millions of candidates. Sharing this policy/document to anyone, publishing in any magazine and printing in Newspaper/Website, etc. may invite action under various rules of the Board and IPC."**
3	Evaluation is to be done as per instructions provided in the Marking Scheme. It should not be done according to one's own interpretation or any other consideration. The Marking Scheme should be strictly adhered to and religiously followed. **However, while evaluating, answers which are based on latest information or knowledge and/or are innovative, they may be assessed for their correctness otherwise and due marks be awarded to them. In class-XII, while evaluating the competency-based questions, please try to understand the given answer and even if reply is not from a marking scheme but correct competency is**
4	The Marking Scheme carries only suggested value points for the answers. These are Guidelines only and do not constitute the complete answer. The students can have their own expression and if the expression is correct, the due marks should be awarded accordingly.
5	The Head-Examiner must go through the first five answer books evaluated by each evaluator on the first day, to ensure that evaluation has been carried out as per the instructions given in the Marking Scheme. If there is any variation, the same should be zero after deliberation and discussion. The remaining answer books meant for evaluation shall be given only after ensuring that there is no significant variation in the marking of individual evaluators.
6	Evaluators will mark (√) wherever answer is correct. For wrong answer CROSS 'X' be marked. Evaluators will not put right (**✓**) while evaluating which gives the impression that the answer is correct, and no marks are awarded. **This is the most common mistake which evaluators are committing.**
7	If a question has parts, please award marks on the right-hand side for each part. Marks awarded for different parts of the question should then be totaled up and written in the left- hand margin and encircled. This may be followed strictly.
8	If a question does not have any parts, marks must be awarded in the left-hand margin and encircled. This may also be followed strictly.
9	If a student has attempted an extra question, answer to the question deserving more marks should be retained and the other answer scored out with a note **"Extra Question"**.



10	No marks to be deducted for the cumulative effect of an error. It should be penalized only once.
11	A full scale of marks_____ (example 0 to 80/70/60/50/40/30 marks as given in Question Paper) has to be used. Please do not hesitate to award full marks if the answer deserves it.
12	Every examiner must necessarily do evaluation work for full working hours, i.e., 8 hours every day and evaluate 20 answer books per day in main subjects and 25 answer books per day in other subjects (Details are given in Spot Guidelines). This is in view of the reduced syllabus and number of questions in question paper.
13	Ensure that you do not make the following common types of errors committed by the Examiner in the past: - ● Leaving answer or part thereof unassessed in an answer book. ● Giving more marks for an answer than assigned to it. ● Wrong totaling of marks awarded on an answer. ● Wrong transfer of marks from the inside pages of the answer book to the title page. ● Wrong question wise totaling on the title page. ● Wrong totaling of marks of the two columns on the title page. ● Wrong grand total. ● Marks in words and figures not tallying/not same. ● Wrong transfer of marks from the answer book to online award list. ● Answers marked as correct, but marks not awarded. (Ensure that the right tick mark is correctly and clearly indicated. It should merely be a line. Same is with the X for incorrect answer.)
14	While evaluating the answer books if the answer is found to be totally incorrect, it should be marked as cross (X) and awarded zero (0) Marks.
15	Any unassessed portion, non-carrying over of marks to the title page, or total error detected by the candidate shall damage the prestige of all the personnel engaged in the evaluation work as also of the Board. Hence, to uphold the prestige of all concerned, it is again reiterated that the instructions be followed meticulously
16	The Examiners should acquaint themselves with the guidelines given in the "**Guidelines for Spot Evaluation**" before starting the actual evaluation.
17	Every Examiner shall also ensure that all the answers are evaluated, marks carried over to the title page, correctly totaled and written in figures and words.
18	The candidates are entitled to obtain a photocopy of the Answer Book on request on payment of the prescribed processing fee. All Examiners/Additional Head Examiners/Head Examiners are once again reminded that they must ensure that evaluation is carried out strictly as per value points for each answer as given in the Marking Scheme.

MARKING SCHEME – 430/1/3


MATHEMATICS BASIC (Subject Code 241)



Q.No.	EXPECTED ANSWER / VALUE POINTS	Marks
	SECTION-A This section comprises multiple choice questions (MCQs) of 1 mark each.	
1.	Which of the following graphs represents a polynomial with both zeroes being positive ? (a)  (b)  (c)  (d) 	
Ans.	(c) 	1
2.	The system of equations $x = 2$ and $x = 3$ has : (a) unique solution (2, 3) (b) two solutions (2, 0) and (3, 0) (c) no solution (d) infinitely many solutions	
Ans.	(c) no solution	1
3.	If the numbers $1-a$, $3-a$ and $5-a$ are in A.P., then the common difference is : (a) $1-a$ (b) $-2+a$ (c) 2 (d) $2-a$	
Ans.	(c) 2	1
4.	Which of the following statements is **not** true ? (a) $\sin 0° = \cos 0°$ (b) $\tan 30° = \cot 60°$ (c) $\sin 30° = \cos 60°$ (d) $\sin 45° = \frac{1}{\sec 45°}$	
Ans.	(a) $\sin 0° = \cos 0°$	1
5.	If $\tan \theta - \cot \theta = 0$, then the value of θ is : (a) 30° (b) 45° (c) 60° (d) 90°	
Ans.	(b) 45°	1

6.	In the adjoining figure, the angle of elevation of the point C from the point B, is : (a) 30° (b) 45° (c) 22.5° (d) 67.5° 	
Ans.	(c) 22.5°	1
7.	In the adjoining figure, the slant height of the conical part is : (a) 4 cm (b) 7 cm (c) 5 cm (d) 25 cm 	
Ans.	(c) 5 cm	1
8.	<table><tr><td>**Class**</td><td>0-10</td><td>10-20</td><td>20-30</td><td>30-40</td><td>40-50</td></tr><tr><td>**Frequency**</td><td>3</td><td>5</td><td>7</td><td>9</td><td>11</td></tr></table> The upper limit of the median class of the above data is : (a) 10 (b) 20 (c) 30 (d) 40	
Ans.	(d) 40	1
9.	If for a data, median is 5 and mode is 4, then mean is equal to : (a) 7 (b) 11 (c) $\frac{11}{2}$ (d) $\frac{14}{3}$	
Ans.	(c) $\frac{11}{2}$	1
10.	The HCF of $3^7.7^3$ and $3^3.7^7$ is : (a) 1 (b) 3.7 (c) $3^3.7^3$ (d) $3^7.7^7$	
Ans.	(c) $3^3.7^3$	1
11.	A letter is selected from the letters of the word FEBRUARY. The probability that it is a vowel is : (a) $\frac{1}{8}$ (b) $\frac{2}{8}$ (c) $\frac{3}{8}$ (d) $\frac{3}{7}$	
Ans.	(c) $\frac{3}{8}$	1
12.	Which of the following numbers will not end with 0 for any natural number n ? (a) $4n$ (b) 4^n (c) $3^n + 1$ (d) 10^{n+1}	

Ans.	(b) 4^n	1
13.	The system of linear equations $px+qy=r$ and $p_1x+q_1y=r_1$ has a unique solution, if : (a) $pq \neq p_1q_1$ (b) $pp_1 \neq qq_1$ (c) $pq_1 \neq qp_1$ (d) $pqr \neq p_1q_1r_1$	
Ans.	(c) $pq_1 \neq qp_1$	1
14.	Which of the following equations is/are **not** quadratic ? $q_1 : (x-1)^2 = x^2$, $q_2 : (x-1)^3 = x^3$ $q_3 : (x+1)^3 = 3x^2$, $q_4 : \left(\sqrt{x}+1\right)^2 = 2\sqrt{x}$ (a) q_1, q_3 and q_4 (b) q_2 and q_3 (c) q_2, q_3 and q_4 (d) q_1 and q_4	
Ans.	(a) q_1, q_3 and q_4	1
15.	The discriminant of the quadratic equation $ax^2+x+a=0$ is : (a) $\sqrt{1-4a^2}$ (b) $1-4a^2$ (c) $4a^2-1$ (d) $\sqrt{4a^2-1}$	
Ans.	(b) $1-4a^2$	1
16.	The coordinates of opposite vertices of the square ABCD are A (– 5, 0) and C(0, 5). The length of a diagonal of the square ABCD is : (a) 5 units (b) 10 units (c) $\sqrt{10}$ units (d) $\sqrt{50}$ units	
Ans.	(d) $\sqrt{50}$ units	1
17.	In the adjoining figure, Δ PQT $\sim \Delta$ RST. Which of the following is true ? (a) $\frac{PQ}{ST}=\frac{QT}{RS}$ (b) QT.RT = PT.ST (c) PQ.PT = RS.RT (d) $\frac{PQ}{PT}=\frac{RT}{RS}$ 	
Ans.	(b) QT.RT = PT.ST	1
18.	In the adjoining figure, if EA $\|\|$ SR and PE = x cm, then the value of $5x$ is : (a) 2.4 cm (b) 12 cm (c) 1.35 cm (d) 6.75 cm 	
Ans.	(b) 12 cm	1

	Directions : Question numbers 19 and 20 are Assertion and Reason based questions. Two statements are given, one labelled as Assertion (A) and the other is labelled as Reason (R). Select the correct answer to these questions from the codes (a), (b), (c) and (d) as given below : (a) Both, Assertion (A) and Reason (R) are true and Reason (R) is the correct explanation of Assertion (A). (b) Both, Assertion (A) and Reason (R) are true, but Reason (R) is **not** the correct explanation of Assertion (A). (c) Assertion (A) is true, but Reason (R) is false. (d) Assertion (A) is false, but Reason (R) is true.	
19.	**Assertion (A) :** From a bag containing 5 red balls, 2 white balls and 3 green balls, the probability of drawing a non-white ball is $\frac{4}{5}$. **Reason (R) :** For any event E, P(E) + P (not E) = 1	
Ans.	(a) Both Assertion (A) and Reason (R) are true, and Reason (R) is the correct explanation of the Assertion (A).	1
20.	**Assertion (A) :** $7 \times 2 + 3$ is a composite number. **Reason (R) :** A composite number has more than two factors.	
Ans.	(d) Assertion (A) is false, but Reason (R) is true.	1
	SECTION-B This section comprises 5 Very Short Answer (VSA) type questions of 2 marks each.	
21.	A box consists of 60 wall clocks, out of which 40 are good, 15 have minor defects and the remaining are broken. A trader will reject the box, if the clock taken out from the box is broken. The trader randomly takes out one clock from the box. What is the probability that : (i) the box will be rejected ? (ii) the clock taken out of the box has minor defect ?	
Ans.	(i) P(box will be rejected) $= \frac{5}{60}$ or $\frac{1}{12}$ (ii) P(clock has minor defect) = $\frac{15}{60}$ or $\frac{1}{4}$	1 1
22.	A point P divides a line segment OR in the ratio 2 : 1. If the coordinates of O are (0, 0) and that of P are (– 2, – 3), find the coordinates of R.	
Ans.	2 : 1 0(0, 0) P(–2, –3) R(x, y) Let coordinates of R be (x, y) $-2 = \frac{2x+0}{2+1} \Rightarrow \quad x = -3$ $-3 = \frac{2y+0}{2+1} \Rightarrow \quad y = -\frac{9}{2}$	1 1

	Coordinates of R are $\left(-3, -\frac{9}{2}\right)$	
23.	**(A)** One zero of a quadratic polynomial is twice the other. If the sum of zeroes is (– 6), find the polynomial. **OR** **(B)** If one zero of the polynomial $x^2 - 5x - c$ is (–1), find the value of c. Also, find the other zero.	
Ans.	**(A)** Let the zeroes be a, 2a $a + 2a = -6$ gives $a = -2$ Polynomial is $x^2 + 6x + 8$ **OR** **(B)** As -1 is the zero, so 1 + 5 – c = 0 gives c = 6 Sum of zeroes = 5 Thus, other zero is 6	½ 1 ½ 1 ½ ½
24.	In the adjoining figure, $VW \parallel YZ,\ XV = \frac{3}{2}VY$ and WX = 4 cm. Find the length of XZ.  	
Ans.	As VW || YZ, $\frac{XV}{VY} = \frac{XW}{WZ}$ $\frac{3}{2} = \frac{4}{WZ}$ $WZ = \frac{8}{3}$ $XZ = 4 + \frac{8}{3} = \frac{20}{3}$ cm	½ ½ ½ ½
25.	**(A)** Evaluate : $\sin^2 30° - \cos^2 45° + \cot^2 60°$ **OR** **(B)** If $\sin(A + 2B) = 2 \cos 60°$ and A = 3B, find the measures of A and B.	
Ans.	**(A)** Given expression $= \left(\frac{1}{2}\right)^2 - \left(\frac{1}{\sqrt{2}}\right)^2 + \left(\frac{1}{\sqrt{3}}\right)^2$ $= \frac{1}{12}$ **OR** **(B)** $\sin(A + 2B) = 1$ $A + 2B = 90°$ Using A = 3B, we get $B = 18°$ $A = 54°$	1 ½ ½ ½ ½ ½ ½
SECTION-C This section comprises 6 Short Answer (SA) type questions of 3 marks each.		

26.	In the adjoining figure, AB is the diameter of the circle with centre O. Two tangents p and q are drawn to the circle at points A and B respectively. Prove that $p \parallel q$. Further, a line CD touches the circle at E and $\angle BCD = 110°$. Find the measure of $\angle ADC$.  	
Ans.	$\angle DAB = 90°, \angle CBA = 90°$ (Angle between tangent and radius at point of contact is $90°$) $\angle DAB + \angle CBA = 180°$ Hence, $p \parallel q$ as co-interior angles are supplementary $\angle ADC = 180° - 110° = 70°$	1 1 1
27.	Given that $\sqrt{3}$ is an irrational number, prove that $2-5\sqrt{3}$ is also an irrational number.	
Ans.	Let $2 - 5\sqrt{3} = r$ be a rational number So, $\sqrt{3} = \frac{2-r}{5}$ RHS is a rational number So LHS is a rational number which is a contradiction Hence, $2 - 5\sqrt{3}$ is an irrational number.	½ 1 1 ½
28.	**(A)** Solve the following system of equations graphically : $x+3y=6$ and $2x-3y=12$ Also, find the area of the triangle formed by the lines $x+3y=6$, $x=0$ and $y=0$. **OR** **(B)** One of the supplementary angles exceeds the other by 120°. Express the given information as a system of linear equations in two variables. Hence, find the measure of both the angles.	
Ans.	**(A)** $x + 3y = 6$ $2x - 3y = 12$  	Correct Graph: 2

x	0	6
y	2	0

x	0	6
y	– 4	0

	Solution is x = 6, y = 0 or (6, 0) Required area $= \frac{1}{2} \times 2 \times 6 = 6$ **OR** **(B)** Let the angles be x and y $x + y = 180^o$ $x - y = 120^o$ solving we get $x = 150^o$ $y = 30^o$	½ ½ 1 1 ½ ½
29.	If the point D (x, y) is equidistant from the points E (0, 3) and F (3, 0), prove that $x = y$. Hence, find the x coordinate of the point D, if Δ DEF is an equilateral triangle.	
Ans.	$\sqrt{(x-0)^2+(y-3)^2} = \sqrt{(x-3)^2+(y-0)^2}$ $x^2 + y^2 - 6y + 9 = x^2 - 6x + 9 + y^2$ $x = y$ As ΔDEF is an equilateral triangle $\therefore x^2 + y^2 - 6y + 9 = 18$ (using DE = DF) $2x^2 - 6x - 9 = 0$ (using x = y) Solving we get $x = \frac{6 \pm 6\sqrt{3}}{4}$ or $\frac{3 \pm 3\sqrt{3}}{2}$	**1** **½** **½** **½** **½**
30.	**(A)** Prove that : $\frac{\sin A - \tan A}{\sin A + \tan A} = \frac{1 - \sec A}{1 + \sec A}$ **OR** **(B)** If $\sin x = p$, then prove that : (i) $\cot x = \frac{\sqrt{1-p^2}}{p}$ (ii) $\frac{1+\tan^2 x}{1+\cot^2 x} = \frac{p^2}{1-p^2}$	
Ans.	**(A)** LHS $= \frac{\sin A - \frac{\sin A}{\cos A}}{\sin A + \frac{\sin A}{\cos A}}$ $= \frac{\sin A(1 - \frac{1}{\cos A})}{\sin A(1 + \frac{1}{\cos A})}$ $= \frac{1 - \sec A}{1 + \sec A}$ = RHS **OR** **(B)** (i) $\cot x = \frac{\cos x}{\sin x} = \frac{\sqrt{1 - \sin^2 x}}{\sin x}$ $= \frac{\sqrt{1-p^2}}{p}$	1 1 1 1 ½

(ii) $\frac{1+\tan^2 x}{1+\cot^2 x} = \frac{\sec^2 x}{\operatorname{cosec}^2 x} = \frac{\sin^2 x}{\cos^2 x}$


$= \frac{p^2}{1-p^2}$

½ + ½

½

31. Prove that the lengths of tangents drawn from an external point to a circle are equal.

Ans. Let PA and PB are tangents drawn from the external point P to the circle with centre O.



Correct Figure: ½

To prove: PA = PB

Construction: Join OA, OB and OP

Proof: In Δ AOP and Δ BOP

OA = OB (radii)

OP = OP (common)

∠ OAP = ∠ OBP (each 90°)

∴ Δ AOP ≅ Δ BOP (RHS congruency)

½

1 ½

Hence, PA = PB (CPCT)

½

SECTION-D

This section comprises 4 Long Answer (LA) type questions of 5 marks each.

32. Find the **median** and the **mode** for the following data :

Class	Frequency
0-20	15
20-40	18
40-60	21
60-80	29
80-100	17

Ans.

Class	f_i	cf
0-20	15	15
20-40	18	33
40-60	21	54
60-80	29	83
80-100	17	100

Correct Table: 1

$\frac{N}{2} = \frac{100}{2} = 50$

$\text{Median} = 40 + \frac{50-33}{21} \times 20$

1 ½

$= 56.19$


½




$\text{Mode} = 60 + \frac{29-21}{58-21-17} \times 20$



1 ½

$= 68$

½

33.	**(A)** Express $\frac{24}{18-x}-\frac{24}{18+x}=1$ as a quadratic equation in standard form and find the discriminant of the quadratic equation, so obtained. Also, find the roots of the equation. **OR** **(B)** The sum of squares of two positive numbers is 100. If one number exceeds the other by 2, find the numbers.	
Ans.	**(A)** Given equation can be written as $24(18 + x) - 24(18 - x) = 324 - x^2$ i.e., $x^2 + 48x - 324 = 0$ $D = 48^2 - 4(-324) = 3600$ Roots are $\frac{-48 \pm 60}{2}$ i.e., 6, –54 **OR** **(B)** Let the numbers be x, x + 2 $x^2 + (x + 2)^2 = 100$ simplifying we get $2x^2 + 4x - 96 = 0$ or $x^2 + 2x - 48 = 0$ which gives $(x + 8)(x - 6) = 0$ $x = 6, -8$ As $x > 0$ thus, numbers are 6, 8	1 1 1 1 1 ½ 1½ 1 1 ½ ½
34.	In the adjoining figure, $IE \parallel TR$ and $\frac{GI}{IT}=\frac{1}{2}$. Find $\frac{TR}{IE}$.  	
Ans.	As $IE \parallel TR$ $\angle GIE = \angle GTR$ } (corresponding angles) $\angle GEI = \angle GRT$ } $\Delta GIE \sim \Delta GTR$ (by AA Similarity) $\frac{GI}{GT}=\frac{GE}{GR}=\frac{IE}{TR}$ ------- (1) Using $\frac{GI}{IT}=\frac{1}{2}$ to get $\frac{GT}{GI}=\frac{3}{1}$ ------- (2) Using (1) and (2) to get $\frac{TR}{IE} = \frac{3}{1}$	**1** **1** **1** **1** **1**

35.	**(A)** In the adjoining figure, Δ OAB is an equilateral triangle and the area of the shaded region is $750\ \pi\ cm^2$. Find the perimeter of the shaded region.  **OR** **(B)** O and O′ are the centres of the circles of radius r as shown in figures (i) and (ii) respectively. (i)  (ii)  Find the ratio of area of shaded region in figure (i) to that of area of shaded region in figure (ii).	
Ans.	**(A)** $\angle AOB = 60^o$ Thus, angle of sector corresponding to shaded region $= 300^o$ So, $\frac{300}{360}\ \pi r^2 = 750\pi$ $r^2 = 900$ $r = 30$ cm Perimeter of shaded region $= \frac{300}{360} \times\ 2 \times \pi \times 30 + 2{\times}30$ $= 50\pi + 60 = \frac{1520}{7}$ cm or 217.14 cm **OR** **(B)** Area of unshaded segments in figure (i) $= 2\left(\frac{60}{360}\ \pi r^2 - \frac{\sqrt{3}}{4} r^2\right)$ Getting length of rectangle $= \sqrt{3}r$ and width $= r$ Area of rectangle $= \sqrt{3}r^2$ Area of shaded region in figure (i) $= \pi r^2 - \ 2\left(\frac{60}{360}\ \pi r^2 - \frac{\sqrt{3}}{4} r^2\right) - \ \sqrt{3} r^2$ $= \frac{2}{3}\ \pi r^2 - \frac{\sqrt{3}}{2} r^2$ Area of shaded region in figure (ii) $= 2\left(\frac{60}{360}\ \pi r^2 - \frac{\sqrt{3}}{4} r^2\right) = \ \frac{1}{3}\ \pi r^2 - \frac{\sqrt{3}}{2} r^2$ Required ratio $= \frac{\frac{2}{3}\pi r^2 - \frac{\sqrt{3}}{2} r^2}{\frac{1}{3}\pi r^2 - \frac{\sqrt{3}}{2} r^2} = \frac{4\pi - 3\sqrt{3}}{2\pi - 3\sqrt{3}}$ or $(4\pi - 3\sqrt{3}) : (2\pi - 3\sqrt{3})$ or $(88 - 21\sqrt{3}) : (44 - 21\sqrt{3})$	½ 1 1 1 1 ½ 1 1 1 1 ½ ½
	SECTION-E This section comprises 3 case study-based questions of 4 marks each	

36.	As a part of school project, Mishika and Sahaj created a bird-bath from the cylindrical log of wood by scooping out the hemispherical depression from one end of the cylinder as shown in the figure given. Cylinder has a length 2 m out of which 0.6 m is in earth and the diameter is 1.4 m.   **On the basis of the above information, answer the following questions :** (i) Write the radius of the hemispherical depression. **1** (ii) Find the volume of water that can be filled in the hemispherical depression in terms of π. **1** (iii) (a) Find the total surface area of log of wood above the ground after making the bird-bath. **2** **OR** (iii) (b) Compute the volume of log of wood above the ground after making the bird-bath. **2**	
Ans.	(i) Radius, r = 0.7 m (ii) Volume of water in hemispherical depression $= \frac{2}{3} \times \pi \times (0.7)^3$ $= 0.228\ \pi$ m^3 approx. or $\frac{343}{1500}$ π m^3 (iii)(a) Required area $= 2 \times \pi \times (0.7) \times (1.4) + 2 \times \pi \times (0.7) \times (0.7)$ $= 2.94\ \pi$ m^2 or 9.24 m^2 or $\frac{231}{25}$ m^2 **OR** (iii)(b) Volume of log of wood $= \pi \times (0.7) \times (0.7) \times (1.4) - \frac{2}{3} \times \pi \times (0.7)^3$ $= 0.457\ \pi$ m^3 or 1.437 m^3 or $\frac{539}{375}$ m^3	1 ½ ½ 1½ ½ 1½ ½
37.	A flagstaff, 7.32 m long is fitted at the top of 10 m tall building. The flagstaff is supported by the ropes which are tied to the point P on the ground which is x m away from the base of the building. It is given that l_1 is the length of rope from point P to the base of the flagstaff and l_2 is the length of rope from point P to the top of flagstaff. Rope l_1 makes an angle of 30° with the horizontal and θ be the angle which rope l_2 makes with the horizontal as shown in the figure.  **Based on the above information, answer the following questions** : (Use $\sqrt{2} = 1.4$ and $\sqrt{3} = 1.732$) (i) Find the value of x. **1** (ii) Find the measure of angle θ. **1**	

	(iii) (a) Find the total length of ropes needed to support the flagstaff. **2** **OR** (iii) (b) Which rope is longer l_1 or l_2 and by how much ? **2**	
Ans.	(i) $\frac{10}{x} = \tan 30^0$ $x = 17.32$ m (ii) $\frac{17.32}{17.32} = \tan\theta$ $\theta = 45^0$ (iii) (a) $\frac{10}{l_1}$ = sin30^0 gives l_1 = 20 m Similarly, l_2 = 17.32 $\sqrt{2}$ = 24.248 m Total length of rope needed = 44.248 m **OR** (iii) (b) $\frac{10}{l_1}$ = sin30^0 Gives l_1 = 20 m Similarly, l_2 = 17.32 $\sqrt{2}$ = 24.248 m l_2 is longer than l_1 by 4.248 m	½ ½ ½ ½ ½ ½ ½ ½ ½ ½ ½ ½
38.	A watermelon vendor arranged the watermelons similar to shown in the adjoining picture : The number of watermelons in subsequent rows differ by '*d*'. The bottommost row has 101 watermelons and the topmost row has 1 watermelon. There are 21 rows from bottom to top.  **Based on the above information, answer the following questions :** (i) Find the value of '*d*'. **1** (ii) How many watermelons will be there in the 15th row from the bottom ? **1** (iii) (a) Find the total number of watermelons from bottom to top. **2** **OR** (iii) (b) If the number of watermelons in the *n*th row from top is equal to number of watermelons in the *n*th row from bottom, find the value of *n*. **2**	
Ans.	(i) $101 + 20d = 1$ $d = -5$ (ii) $a_{15} = 101 + 14(-5)$ $= 31$ (iii) (a) $S_{21} = \frac{21}{2}[202 + 20(-5)]$ $= 1071$ **OR** (iii) (b) $1 + (n-1)\,5 = 101 + (n-1)\,(-5)$ $n = 11$	½ ½ ½ ½ 1½ ½ 1½ ½